



CATALOGUE
2024



CyberLocks

- Standard Padlocks 3
- Standard Cylinders 6
- Made-to-Order Cylinders 8
- CyberLock Blue 11

CyberKeys

- Rechargeable Battery 12
- Replaceable Battery 12

CyberKey Updaters 13

CyberKey Vaults 14

Flex System 15

Accessories 16

CyberLock

Description

Part No



Standard Padlocks

1" x 3/8" diameter stainless steel shackle

PL-01

1" x 3/8" diameter stainless steel shackle, key retaining

PL-01KR



2" x 3/8" diameter stainless steel shackle

PL-02

2" x 3/8" diameter stainless steel shackle, key retaining

PL-02KR



3" x 3/8" diameter stainless steel shackle

PL-03

3" x 3/8" diameter stainless steel shackle, key retaining

PL-03KR



Made to Order

minimum order quantities apply

1" x 5/16" diameter stainless steel shackle

PL-01-A

1" x 5/16" diameter stainless steel shackle, key retaining

PL-01KR-A



2" x 5/16" diameter stainless steel shackle

PL-02-A

2" x 5/16" diameter stainless steel shackle, key retaining

PL-02KR-A



3" x 5/16" diameter stainless steel shackle

PL-03-A

3" x 5/16" diameter stainless steel shackle, key retaining

PL-03KR-A



High-security padlock, hockey puck format, stainless steel body

PL2-HP1

CyberLock

Description

Part No



Standard Padlocks

Hardened steel CEN Grade 6 padlock with a protected shackle
Shackle: diameter: 15mm | height: 27mm | width: 30mm

PL-840-6P



Hardened steel CEN Grade 5 padlock with an open shackle
Shackle: diameter: 15mm | height: 27mm | width: 40mm

PL-840-5



Hardened steel CEN Grade 4 padlock with a protected shackle
Shackle: diameter: 11 mm | height: 28mm | width: 28mm

PL-830-4P



Hardened steel CEN Grade 4 padlock with an open shackle
Shackle: diameter: 11 mm | height: 28mm | width: 28mm

PL-830-4



Hardened steel CEN Grade 3 padlock with an open shackle
Shackle: diameter: 8mm | height: 25mm | width: 24mm

PL-802-3



Hardened steel CEN Grade 2 padlock with an open shackle
Shackle: diameter: 8mm | height: 25mm | width: 24mm

PL-801-2



Hardened steel CEN Grade 2 padlock with an open shackle
Shackle: diameter: 8mm | height: 110mm | width: 24mm

PL-801-1



Hardened steel compact fittings or chain
Shackle: diameter: 10mm | height: 11.5mm | width: 20mm

PL-530-3

CyberLock

Description

Part No

Standard Padlocks



Hardened steel CEN Grade 6 padlock with a protected shackle

Shackle: diameter: 15mm | height: 27mm | width: 30mm

Weatherproof Cover: available in a range of colours

PL-850-6PW



Hardened steel CEN Grade 5 padlock with a open shackle

Shackle: diameter: 15mm | height: 27mm | width: 40mm

Weatherproof Cover: available in a range of colours

PL-850-5W



Hardened steel CEN Grade 5 padlock with a open shackle

Shackle: diameter: 15mm | height: 50mm | width: 30mm

Weatherproof Cover: available in a range of colours

PL-840-4W



Hardened steel CEN Grade 4 padlock with an open shackle

Shackle: diameter: 11mm | height: 50mm | width: 28mm

Weatherproof Cover: available in a range of colours

PL-830-4W



Hardened steel CEN Grade 4 padlock with an open shackle

Shackle: diameter: 11mm | height: 28mm | width: 28mm

Weatherproof Cover: available in a range of colours

PL-830-3 W



Hardened steel CEN Grade 2 padlock with an open shackle

Shackle: diameter: 8mm | height: 60mm | width: 24mm

Weatherproof Cover: available in a range of colours

PL-802-2W



Hardened steel CEN Grade 2 padlock with an open shackle

Shackle: diameter: 5mm | height: 50mm | width: 24mm

Weatherproof Cover: available in a range of colours

PL-801-2W

CyberLock	Description	Part No
	Standard Cylinders	
	Profile, half, 30mm	CL-PH30
	Profile, half, 35mm	CL-PH35
	Profile, half, 30mm, flush mount	CL-PH30T
	Profile, half, 32.5mm, with cover	CL-PH32.5C
	Profile, half, 37mm, with cover	CL-PH37C
	Profile, half, 65mm, with cover	CL-PH65C
	Profile, half, 80mm, with cover	CL-PH80C
	Profile, single keyway with knob, 30mm outside/30mm inside	CL-PK3030
	Profile, double, 30mm/30mm	CL-PD3030
	Cam lock, 3/4" diameter, 9/32" tenon, 90° action, no latch	CL-C5N
	Cam lock, 3/4" diameter, 1/4" tenon, 90° & 180° actions, multiple latches	CL-C6N

CyberLock	Description	Part No
	Scandinavian Oval	CL-OVL
	Mortise, 1.125" Mortise, 1.25"; multiple finish choices	CL-M2 CL-M4
	6-pin, Schlage® format 6-pin, Schlage® format, weather-resistant	CL-6P1 CL-6P3WR
	Rim, U.S. standard	CL-R1
	Small format interchangeable core, Best format, 7-pin	CL-SF03
	Vending cylinder, dual-action, back install Vending cylinder, spring latch, front install	CLT-T6H CLT-T7H
	Deadbolt latch action, 3" plate with extension springbolt latch action, 3" plate with extension Swingbolt latch action, 3" plate, other plate sizes available	SL-DB1 SL-SP1 SL-SW1
	4" plate with extension, keypad activation switch, La Gard Safe lock, keypad activation switch, S & G	SL-KS1 SL-KS2

CyberLock

Description

Part No

Made to Order

minimum order quantities apply



Profile, half, 32.5mm, enhanced drill-resistant

CL-PHS32.5



Profile, half, 36mm, enhanced drill-resistant

CL-PHS36

Profile, half, 40mm

CL-PH40

Profile, half, 45mm

CL-PH45

Profile, half, 55mm

CL-PH55

Profile, half, 80mm

CL-PH80



Profile, half, 42mm, with cover

CL-PH42C



Single keyway with knob, 35mm outside/35mm inside

CL-PK3535

Single keyway with knob, 35mm outside/50mm inside

CL-PK3550

Single keyway with knob, 40mm outside/30mm inside

CL-PK4030

Single keyway with knob, 50mm outside/30mm inside

CL-PK5030

Single keyway with knob, 50mm outside/50mm inside

CL-PK5050

Single keyway with knob, 60mm outside/60mm inside

CL-PK6060

Single keyway with knob, 70mm outside/30mm inside

CL-PK7030

Single keyway with knob, 80mm outside/30mm inside

CL-PK8030



Single keyway with knob, 32.5mm outside/30mm inside, with cover

CL-PK32.530C

Single keyway with knob, 37mm outside/35mm Inside, with cover

CL-PK3735C

Single keyway with knob, 40mm outside/30mm inside, with cover

CL-PK4030C



Single keyway with knob, 36mm outside/35mm inside, high-security

CL-PK3735C

Double, 35mm/35mm

CL-PD3535

Double, free-rotating, 40mm/45mm interchangeable

CL-PDFR4045

Profile, double, 45mm/45mm

CL-PD4545

Double, 60mm/30mm

CL-PD6030

CyberLock

Description

Part No

Made to Order

minimum order quantities apply



3/4" diameter, 5/16" tenon, no latch

CL-C10N

22mm diameter, 11 mm tenon, 90° action, no latch or nuts, drill resistant

CL-C11ND

22mm diameter, 1/4" tenon, 90° action, multiple latches

CL-C12N

22mm diameter, 11 mm tenon, 90° action, no latch

CL-C13N

Cam lock, RI 509/511 format

CL-C14N

Cam lock, RI 503 format

CL-C15N

Cam lock, RI 521 format

CL-C16N

Cam lock, 30mm diameter, 11 mm tenon

CL-C17N

3/4" diameter, 1-3/8" length, 1/4" tenon, square post, no latches

CL-C18N

3/4" diameter, 3/8" tenon, multiple actions, straight latch

CL-C1N

3/4" diameter, 3/8" tenon, 95-210° or 30-180° actions, straight latch

CL-C2N

3/4" diameter, 3/8" tenon, 90° action, spring hook latch

CL-C3N

CamLock, M7 Tenon with Collar

CL-C5NC

3/4" diameter, fully threaded body, 1/4" tenon, 90° & 180° actions

CL-C6NF

Cam lock, 22mm diameter, 10mm tenon, no latch or nuts

CL-C7N

3/4" diameter, 3/8" tenon, 90° action, latch spacer, no latch

CL-C8N

19mm diameter, 7mm tenon, 90° action, no latch or nuts

CL-C9N

Cam lock, cabinet format, 22mm diameter, weather-resistant

CL-CA

Cam lock, cabinet format, 22mm diameter, drill resistant

CL-CA2D

Cam lock, 23mm diameter, 7mm tenon, no latch or nuts

CL-CB

21 mm diameter, 10mm tenon, no latches or nuts, tamper plug

CLT-C19N

Scandinavian Oval, drill-resistant

CL-OVLD

Scandinavian Oval, interior installation

CL-OVLI

Scandinavian Oval, weather-resistant with cover

CL-OVLWR

For Anchor Lås padlock, drill resistant, enhanced tamper resistance

CLTX-PL5WR

Oval with knob, 35mm outside/35mm inside

CL-OK3535

Mortise, 1.125", with cover

CL-M2C

Mortise, 1.25", with cover

CL-M4C

Mortise Format, 1.75"

CL-M14

Cylinder for ABUS padlock, weather-resistant, drill-resistant

CL-PL2WR

CyberLock

Description

Part No



Made to Order

minimum order quantities apply

6-Pin, Yale 1801 hardware format

7-pin, Yale® 1802A hardware format

CL-6P2

CL-7P1



Parking meter, double D tenon, drill-resistant

Parking meter, round tenon, drill-resistant

CL-PM1D

CL-PM2D



Removable plug cylinder, cabinet format

CL-RP2



Rim, weather-resistant with cover, 28mm diameter, 34mm long

CL-RWR



Traffic cabinet lock, left-handed

Traffic cabinet lock, right-handed

Traffic cabinet lock, Gatsometer style traffic camera boxes

CL-TC2L

CL-TC2R

CL-TCG



Key Tube cylinder, 30mm diameter, 48mm length, tamper resistant

CLT-KT1



Electronic switch with relay, 2.5" diameter plate. Different plate sizes available upon request

CLT-T6H



Ruko 29mm

Ruko 29mm, with cover

CL-RK29

CL-RK29C



Round 29mm

Round 29mm, weather-resistant with cover

CL-RND29

CL-RND29WR

CyberLock Blue

Description

Part No



Keyless lock, Bluetooth enabled device
European 30mm Half Profile

BLR-PH30



Keyless lock, Bluetooth enabled device
European Profile, Knob, 30/30mm

BLR-PK3030R



Keyless lock, Bluetooth enabled device
Mortise 1 1/4"

BLR-M4



Keyless lock, Bluetooth enabled device
Camlock, 3/4" dia, 1/4" tenon

BLR-C6N




Keyless lock, Bluetooth enabled device
Key Tube

BLR-KT1



Keyless lock, Bluetooth enabled device
Padlock, 2" Shackle

BLR-PL02



CyberLock Blue Battery Change Kit

BLR-BAT-KIT-01



Keyless lock, Bluetooth enabled device
Lock Box

FL-BOX-01

CyberKey	Description	Part No
	CyberKey, Rechargeable Battery	CK-PLUS
	CyberKey, Rechargeable Battery, USB	CK-USB
	CyberKey, Rechargeable Battery, USB, Bluetooth®	CK-BLUE3
	CyberKey, Rechargeable Battery, Wi-Fi	CK-AIR2
	CyberKey, Rechargeable Battery, Bluetooth®, RFID & FlashLock®	CK-FLASH2
	CyberKey, Replaceable Battery, Bluetooth®	CKR-GO
	CyberKey, Replaceable Battery	CKR-X2
	Installing Interchangeable Core Cylinders	CKR-X2C

Updaters	Description	Part No
	Communicator Hub for Keypad Authoriser and MiniPort, Permissions cached locally, RoHS Compliant	AHG2R-W2
	Keypad Authoriser, indoor/outdoor installation, RoHS Compliant	AKG2R-01
	Communicator, USB desktop, infrared connection	CKB-IR10
	Communicator, USB desktop, CyberKey charger	CKS-020
	ValidiKey Plus can program and charge both missioned and issued CyberKeys, Permissions cached locally	CKS-V02-PLUS
	WebStation, Desktop	CKSR-F40D
	WebStation, Wall Mount	CKSR-F40W
	USB Programmer with Software	CLP-200
	Mini Port, Communicator, indoor/outdoor installation	MK-01

Vaults

Description

Part No



A 2-key Vault capable of issuing CyberKeys on-demand using the touch-screen to enter a job number and PIN. An Access Card can also be used to verify the user. Permissions cached locally.

CKV-V02-PLUS



A 20-key Vault capable of issuing CyberKeys on-demand using the keypad to enter a job number and PIN. An Access Card can also be used to verify the user. Comes with enclosed metal door. Permissions cached locally.

CKV-V20



A 20-key Vault capable of issuing CyberKeys on-demand using the keypad to enter a job number and PIN. An Access Card can also be used to verify the user. Comes with a transparent door. Permissions cached locally.

CKV-V20-C



1-key Vault capable of issuing a CyberKey on-demand, indoor/outdoor installation, weather-resistant.

FS-CV01

FS-CV02



ValidiKey Ring enables the issue of mechanical key bunches on-demand within any of the Vaults featured above.

CKVR-KR01

Flex	Description	Part No
	The Flex II Controller is the central hub of a Flex II access control installation. It has 8 RS-485 ports to expand the system with up to 8 Flex modules including vaults and Keyports for CyberKeys. Permissions cached locally.	FSR-SH02
	The Flex II Door Expander connects to a port on a Flex II Controller and is capable of controlling 4 doors	FSR-DE01
	Door controller, 2 inputs, 2 outputs, 1 electric strike input	FS-DC01
	The Flex II FlashReader is an input device for the CyberLock Flex II wired access control system	FS-FR01
	Flex II FlashReader Keypad is an input device for the CyberLock Flex II wired access control system	FSR-FRK01
	Communicator Hub for Flex System modules, 8 input/output ports. Permissions Cached locally	FS-SH01
	Input module, 13Mhz RFID reader with beeper	FS-RH02

Accessories	Description	Part No
	Single gang box, indoor/outdoor	BOX-01
	Lock and key pin cleaning brush, stainless steel bristles	BRUSH
	Lock and key pin cleaning brush, Dremel, stainless steel bristles	BRUSH-D
	6-slot Recharging Station for CyberKeys with rechargeable batteries	CKS-016
	Charging port for rechargeable battery CyberKeys, USB	PP-01
	RFID card reader, USB connection	RFB-001
	RFID card, 13.56 MHz, pack of 10	RFC-010
	Replaceable tip for the CK-Go, CK-X2 and CK-IR7 CyberKey smart keys	TIP-001